MAGTECH™
MAGTECH
50 CENTERFIRE CARTRIDGES
WARNING: KEEP OUT OF REACH OF CHILDREN
MAGTECH
25 CENTERFIRE CARTRIDGES
WARNING: KEEP OUT OF REACH OF CHILDREN
MAGTECH
25 CENTERFIRE CARTRIDGES

BALLISTICS

Symbol	Caliber	Bullet Style	Bullet Weight	Velocity Muzzle	Velocity 50m / 50yd	Velocity 100m / 100yd	Energy Muzzle	Energy 50m / 50yd	Energy 100m / 100yd	Mid Range Trajectory 50 m / 50yd	Mid Range Trajectory 100m / 100yd	Test Barrel Length
			g	m/s	m/s	m/s	J	J	J	cm	cm	cm
			gr	fps	fps	fps	ft. lb	ft. lb	ft. lb	inch	inch	inch
22A	22 RFLR	LRN	2.59	332	-	275	143	-	98	-	13.0	61
			40	1089	-	914	105	-	74	-	4.3	24
22C	22RFLR-HV	LHP	2.33	390	-	303	177	-	107	-	11.0	61
			36	1280	-	1009	131	-	81	-	3.5	24
22D	22RFLR SUB	LHP	2.43	310	-	-	116	-	-	-	-	61
			37.5	1017	-	-	86	-	-	-	-	24

V=VENTED TEST BARREL

LEGEND

FMC- Full Metal Case
JHP- Jacketed Hollow Point
JSP- Jacketed Soft Point
LHP- Lead Hollow Point
LRN- Lead Round Nose
LWC- Lead Wad Cutter
PSP- Pointed Soft Point
SWC- Semi Wad Cutter
LSWC- Lead Semi Wad Cutter
SJHP- Semi Jacketed Hollow Point
SJSP- Semi Jacketed Soft Point

Symbol	Caliber	Bullet Style	Bullet Weight	Velocity Muzzle	Velocity 50m / 50yd	Velocity 100m / 100yd	Energy Muzzle	Energy 50m / 50yd	Energy 100m / 100yd	Mid Range Trajectory 50 m / 50yd	Mid Range Trajectory 100m / 100yd	Test Barrel Length
			g	m/s	m/s	m/s	J	J	J	cm	cm	cm
			gr	fps	fps	fps	ft. lb	ft. lb	ft. lb	inch	inch	inch
223A	223 Rem	FMC	3.56	988	-	867	1738	-	1388	-	1.4	61
			55	3240	-	2877	1282	-	1011	-	0.5	24
223B	223 Rem	PSP	3.56	988	-	834	1738	-	1209	-	1.3	61
			55	3240	-	2747	1282	-	921	-	0.5	24
30A	30 Carbine	FMC	7.13	607	-	476	1313	-	808	-	4.3	51
			110	1990	-	1596	967	-	622	-	1.4	20
308A	308Win	FMC	9.72	856	-	771	3561	-	2889	-	1.9	61
			150	2810	-	2513	2629	-	2170	-	0.6	24
308B	308 Win	FMC Match	10.49	775	-	684	3150	-	2454	-	1.8	61
			162	2550	-	2287	2335	-	1881	-	0.6	24
308C	308 Win	PSP	9.72	860	-	764	3594	-	2837	-	1.9	61
			150	2820	-	2513	2648	-	2137	-	0.6	24
3006A	30-06 Sprg	FMC	9.72	856	-	771	3561	-	2889	-	1.9	61
			150	2810	-	2513	2629	-	2170	-	0.6	24
3006B	30-06 Sprg	PSP	9.72	886	-	789	3824	-	3025	-	1.9	61
			150	2910	-	2617	2820	-	2281	-	0.6	24
7.62A	7.62x39mm	FMC	7.91	710	-	585	1993	-	1353	-	5.8	61
			122	2330	-	1946	1470	-	1026	-	1.6	24
243A	243 Win	PSP	6.48	985	-	872	3144	-	2464	-	1.3	61
			100	3230	-	2863	2316	-	1858	-	0.5	24
22250A	22-250Rem	PSP	3.56	1120	-	938	2233	-	1566	-	1.2	61
			55	3680	-	3137	1654	-	1202	-	0.5	24
4440A	44-40 Win	LRN	12.96	368	-	300	840	-	583	-	11.6	61
			200	1180	-	996	618	-	440	-	4.3	24

V=VENTED TEST BARREL

Symbol	Caliber	Bullet Style	Bullet Weight	Velocity Muzzle	Velocity 50m / 50yd	Velocity 100m / 100yd	Energy Muzzle	Energy 50m / 50yd	Energy 100m / 100yd	Mid Range Trajectory 50 m / 50yd	Mid Range Trajectory 100m / 100yd	Test Barrel Length
			g	m/s	m/s	m/s	J	J	J	cm	cm	cm
			gr	fps	fps	fps	ft. lb	ft. lb	ft. lb	inch	inch	inch
25A	25 Auto	FMC	3.24	232	216	202	88	78	69	6.1	26.2	5.1
			50	760	713	670	64	56	50	2.0	8.6	2
32A	32 Auto	FMC	4.60	276	257	242	175	152	135	4.3	18.5	10.2
			71	905	850	801	129	114	101	1.4	6.0	4
32B	32 Auto	JHP	4.60	276	257	242	175	152	135	4.3	18.5	10.2
			71	905	850	801	129	114	101	1.4	6.0	4
32 SWLA	32 S&WL	LRN	6.35	238	223	209	180	158	139	5.8	24.7	13.5
			98	780	734	692	132	117	104	1.9	8.1	5.3
32 SWLB	32 S&WL	LWC	6.35	212	197	-	142	123	-	6.6	-	13.5
			98	695	646	-	105	91	-	2.1	-	5.3
38A	38 SPL	LRN	10.24	230	221	213	270	250	232	6.2	24.9	10.2-V
			158	755	728	703	200	186	173	2.0	8.2	4-V
38B	38 SPL	LWC	9.59	216	191	169	226	177	137	7.4	33.7	10.2-V
			148	710	634	566	166	132	105	2.4	10.9	4-V
38C	38 SPL	SJSP	10.24	235	226	218	283	261	243	6.0	24.4	10.2-V
			158	770	743	718	209	194	181	2.0	8.1	4-V
38D	38SPL+P	SJSP	8.10	266	254	243	287	261	239	4.2	17.6	10.2-V
			125	873	836	803	211	194	179	1.4	5.8	4 -V
38F	38 SPL+P	SJHP	8.10	288	276	265	336	309	284	3.9	16.1	10.2-V
			125	945	908	875	248	229	212	1.3	5.3	4-V
357A	357 Mag	SJSP	10.24	376	339	312	724	588	498	2.4	10.7	10.2-V
			158	1235	1120	1037	535	440	378	0.8	3.5	4-V
357B	357 Mag	SJHP	10.24	376	339	312	724	588	498	2.4	10.7	10.2-V
			158	1235	1120	1037	535	440	378	0.8	3.5	4-V
380A	380Auto	FMC	5.83	302	275	254	266	220	188	3.7	16.3	9.5
			90	990	908	843	196	165	142	1.2	5.3	3.75
380B	380Auto	JHP	6.15	290	271	255	259	226	200	4.0	16.7	9.5
			95	950	893	844	190	168	150	1.3	5.4	3.75
9A	9mm Luger	FMC	7.45	346	313	290	446	364	313	2.9	12.5	10.2
			115	1135	1034	963	329	273	237	0.9	4.1	4
9B	9mm Luger	FMC	8.03	335	310	292	451	386	342	2.9	12.7	10.2
			124	1100	1024	966	333	289	257	1.0	4.1	4
9C	9mm Luger	JHP	7.45	354	318	294	467	377	322	2.7	12.1	10.2
			115	1160	1051	976	344	282	243	0.9	3.9	4
9D	9mm Luger	JSP-Flat	6.15	415	339	297	530	353	271	2.2	10.7	10.2
			95	1360	1127	992	390	268	207	0.7	3.4	4
40A	40SPW	JHP	11.66	302	284	268	531	470	419	3.3	13.7	10.2
			180	990	936	891	392	350	317	1.2	4.9	4
45A	45ACP	FMC	14.90	255	243	232	484	440	400	5.0	20.8	12.7
			230	835	800	767	356	326	300	1.6	6.8	5
45B	45ACP	FMC-SWC	14.90	226	214	203	380	341	307	5.7	23.8	12.7
			230	740	705	672	280	254	231	1.8	7.8	5
45C	45ACP	LSWC	12.96	277	256	238	497	425	367	4.0	-	12.7
			200	910	850	795	368	321	281	1.3	-	5

V= VENTED TEST BARREL



MAGTECH™

At Magtech, we offer the shooter fine sporting arms and reliable ammunition, all at affordable prices.

All of our firearms are produced using ordnance grade , high-quality steel alloys that assure quality and safety.

Stocks and forearms are made from selected and matched Brazilian hardwoods cured in specially controlled ovens to assure the proper moisture content.

The Magtech ammunition line brings the shooter quality cartridges based on 65 years of manufacturing and ballistic experience. Safety, accuracy, and quality are always the prime concern at Magtech.

When a sporting arm or ammunition carries the name Magtech, you can be sure it was manufactured under the most stringent quality standards and inspected by quality control experts for your safety and satisfaction. Magtech gives the shooter quality and affordable firearms and ammunition that you can be proud to own and use.

Magtech ammunition & firearms are manufactured at this state-of-the-art facility in Brazil.

Magtech Recreational Products, Inc.
4737 College Park, Ste.101 • San Antonio, Texas 78249

AMMUNITION

All Magtech ammunition is produced using only the finest materials available. High-tech propellant powders are manufactured to the most stringent standards in our state-of-the-art, continuous process, single base smokeless powder facility. This process assures duplication of pressures & burning rates in each and every lot.

Only virgin metals are used in the manufacture of our cases & bullets. Strict acceptance standards are demanded for all raw materials. Our technicians track each lot of material through our manufacturing process, assuring every item meets the strict standards demanded.

During the loading process samples are continuously being checked in our modern ballistic laboratory to assure that the highest safety and accuracy standards are being maintained.

Magtech centerfire ammunition is readily available in most popular calibers and loads.





FIREARMS





Model 122.2 Rifles come with both Six and Ten shot Clips.

Model 122.2 Bolt Action Rifles

The Magtech 122.2 is a .22 caliber rimfire bolt action clip fed repeater designed to offer exceptional quality at an affordable price. The 6 and 10 shot clips can be loaded with .22 short, long or long rifle cartridges. Reliable functioning is guaranteed with features such as double extractors. Accuracy is enhanced with a 6 groove 24" free floating barrel. Safety features include a double blocking bolt, a red cocking indicator, and a safety lever which disconnects the trigger from the firing mechanism when set in the "safe" position. The full length stock with a distinctive beavertail forearm is crafted from select Brazilian hardwood and includes sling swivels at no extra charge. Both the receiver and the 24" free floating barrel are manufactured and fitted to exacting tolerances using high quality ordnance grade heat-treated steel.



Model 122.2 T micrometer type rear sights and ramp front sight offer precision adjustment.

122.2 T With Scope*

*Scope not included

122.2 S | 122.2 R | 122.2 T

Every model 122.2 rifle receiver is grooved to accept standard 3/8" tip-off type scope mounts. The model 122.2 T shown at left is fitted with a 3/4" 4 power scope. (Scope not included).

Model 122.2 S

Designed for the individual that intends to mount a scope or sight. No mechanical sight is present to obstruct or interfere with mounting.

Model 122.2 R

Adjustable rear sight and post front sight for fast target acquisition.

Model 122.2 T

Fully adjustable micrometer type rear sight and ramp front sight. Positive click stops assure precise adjustment.

Model 122.2 General Specifications

Action:	Bolt Action
Caliber:	22 Short, Long, Long Rifle
Capacity:	6-Shot Clip Magazine
	10-Shot Clip Magazine
Barrel:	24" Long with 6-groove rifling
Approximate Weight:	6.5lbs.
Overall Length:	43"

MAGTECH™

Magtech shotguns give the shooter safe and accurate firearms at affordable prices. Ordnance grade steels and beautiful hand finished Brazilian hardwoods are used exclusively to produce the quality product that discriminating shooters prefer.

Model MT-586 Pump Action Shotguns

All Magtech Model 586 pump action 12 gauge shotguns are manufactured using only the highest quality, ordnance grade steel and Brazilian hardwoods available. Each 586 shotgun receiver is individually machined on state of the art, uniquely designed, computer monitored milling machines to meet exacting tolerances necessary to ensure a crisp, smooth, and dependable pump action when coupled with the double slide bars. Each barrel is hammer forged using precision made mandrels to maintain the accuracy and profiles demanded. Forearms and buttstocks of the finest Brazilian hardwood are hand finished and individually matched for each Model 586. Quality materials, close tolerances and the careful attention to detail performed by skilled craftsmen make up the heart of each Model 586.

Model MT-586 Pump Action Shotgun

The Magtech Model 586 is a quality, no nonsense, no frills pump action shotgun. The plain barrel is 28" in length and available with full, modified or improved chokes. Handles 12 gauge 2 3/4" and 3" magnum shells interchangeably.

Model MT-586-VR Ventilated Rib Shotgun

The Magtech Model 586-VR comes with popular 26" or 28" ventilated-rib barrel and screw-in chokes. The interchangeable choke tubes are available in full, modified and improved cylinders. Magazine tube has a capacity of four 2 3/4" or 3" shells.

Model MT-586-S Slug Shotgun

The Magtech Model 586-S comes with a special Monte Carlo stock and a 24" cylinder bore barrel equipped with rifle sights designed for slug shooting. All exposed metal parts are matte finished to reduce glare.

Model MT-586P Pump Action Shotgun

The Magtech Model 586P is a pump action shotgun manufactured using high quality, ordnance steel and the finest Brazilian hardwoods. It comes with a 19" hammer forged cylinder choke barrel. Double slide-bars provide a dependable crisp smooth pump action that is as suitable in the field as it is for defense. The extended tube magazine holds six 3" or seven 2 3/4" shells.